


3M™ Adflo™ PAPR and Versaflo™ M-Series Helmet Kit Speedglas™ Welding Shield, 38-1101-30iSW, Li Ion Battery, ADF 9100 XXi 1 EA/CASE

UPC #: 00076308943882, 3M Catalog #: 38-1101-30ISW,
3M Stock #: 7100200576, Previous 3M Stock #: 70071735578, Your Catalog #:
Manage



Make To Order

Est. Lead Time: 45 Working Days

- PAPR includes a blower unit, breathing tube, flow indicator, spark arrester, belt, filters, filter cover, lithium ion battery, and charger
- Versaflo™ M-Series Helmet has a tough leather shroud to help protect welding arc, sparks and spatter
- Selectable Shades 5, 8-13 and Shade 3 light state
- Wide, transparent faceshield for a clear view
- Hard headcover helps protect against falling objects and flying debris
- Recommended for heavy industrial, metal fabrication, metal production, and fabrication industries
- Applications include arc gouging, plasma cutting, grinding, MIG, TIG, and GMAW welding
- Option to buy protection headgear with or without Speedglas™ Welding ADF

Specifications

* Smallest Saleable Unit

Details

ADF Model

9100XXi

| | |
|---|---|
| Air Source | PAPR |
| Brand | Adflo™ |
| Comes with Auto-Darkening Filter (ADF) | Yes |
| eClass 14 Classification Group | 34241126 |
| Features | Dual Face Protection Head Protection Eye & Face Protection |
| Grinding Option | Flip-up with Clear Visor |
| Headgear Type | Hardhat with Faceshield and Welding Shield |
| Includes | 3M™ Adflo™ PAPR, Versaflo™ M-Series Helmet Kit, Speedglas™ Welding Shield, Li Ion Battery, ADF 9100 Xxi |
| Lens Shade | 5, 8 - 13 |
| Lens Type | Auto-darkening |
| Material | Leather |
| Product Color | Black |
| Product Series | Adflo |
| Product Type | Welding Respiratory Systems |
| Recommended Application | Welding |
| Recommended Industry | Heavy Industrial Metal Production & Fabrication Metal Fabrication |
| Smallest Saleable Unit* | Case |
| Specifications Met | ANSI Z89.1 Type I, Class G |
| Viewing Area (Imperial) | 2.8 in x 4.2 in |
| Viewing Area (Metric) | 73 mm x 107 mm |
| Visor Type | Clear |

Dimensions and Classifications

| | |
|----------------------------|----------------|
| Case Gross Weight* | 13.54 US pound |
| Case Height* | 11.3 Inch |
| Case Length* | 21.8 Inch |
| Case Width* | 12.6 Inch |
| Each Gross Weight | 13.54 US pound |
| Pallet Gross Weight | 522 US pound |
| Pallet Height | 48.9 Inch |
| Pallet Length | 48 Inch |

| | |
|-----------------|------------|
| Pallet Width | 42 Inch |
| ECCN | 1A995 |
| Harmonized Code | 9020006000 |

Packaging and Identifications

| | |
|------------------------------|---|
| Primary Shipping Location | VALLEY, Nebraska |
| Country of Origin | Poland |
| Country of Origin Disclaimer | This is to advise you that as of this date, the Country of Origin for the product(s) displayed is as follows. This origin is for purposes of Normal Trade Relations (NTR) duty treatment, is for import/export documentation only, and is not intended to be used for any other purpose such as sales to government entities or Free Trade Agreement eligibility. Government procurement laws and Free Trade Agreements require application of specific criteria that may result in a different Country of Origin than indicated. These determinations are specific to 3M ID. |
| UPC/EAN - Billing (Case)* | 00076308943882 |
| UPC/EAN – Shipper (Case)* | 00076308943882 |
| per Case* | 1 Each |
| per Pallet | 36 Each |

Transportation

| | |
|--|---|
| Transport Protective Service | PROTECTIVE SERVICE NOT REQUIRED |
| NMFC Item | 098660 |
| NMFC Sub | 00 |
| NMFC Class | 150.0 |
| Flash Point | No Flash Point |
| United States Department of Transportation - Ground (US DOT, 49 CFR) | NOT RESTRICTED, AS PER 49CFR 173.185 (c), LITHIUM ION BATTERIES OR CELLS PACKED WITH EQUIPMENT NOT RESTRICTED, AS PER 49CFR 173.185 (c), LITHIUM METAL BATTERIES OR CELLS CONTAINED IN EQUIPMENT |
| United States Department of Transportation - Vessel (US DOT, 49 CFR) | NOT RESTRICTED, AS PER 49CFR 173.185 (c), LITHIUM ION BATTERIES OR CELLS PACKED WITH EQUIPMENT NOT RESTRICTED, AS PER 49CFR 173.185 (c), LITHIUM METAL BATTERIES OR CELLS CONTAINED IN EQUIPMENT |

| | |
|---|---|
| International Air Transport Association (IATA) | LITHIUM ION BATTERIES IN COMPLIANCE WITH SECTION II OF PI 966 LITHIUM METAL BATTERIES IN COMPLIANCE WITH SECTION II OF PI 970 - BUTTON CELLS, NO MARK REQUIRED |
| International Maritime Organization (IMO) | NOT RESTRICTED,AS PER SPECIAL PROVISION 188, LITHIUM ION BATTERIES OR CELLS PACKED WITH EQUIPMENT NOT RESTRICTED,AS PER SP 188, LITHIUM METAL BUTTON CELLS CONTAINED IN EQUIPMENT - NO MARK REQUIRED |
| Transportation Disclaimer | These transportation classifications are provided as a customer service. AS THE SHIPPER YOU REMAIN RESPONSIBLE FOR COMPLYING WITH ALL THE APPLICABLE LAWS AND REGULATIONS, INCLUDING PROPER TRANSPORTATION CLASSIFICATION AND PACKAGING. 3M's transportation classifications are based on product formulations, packaging, 3M policies and 3M's understanding of applicable current regulations and is valid for the original 3M package only. 3M does not guarantee the accuracy of this classification information. This information applies only to transportation classification and NOT THE PACKAGING, LABELING OR MARKING REQUIREMENTS. The original 3M package is certified for U.S. ground shipment only. If you are shipping by air or ocean, the package may not meet applicable regulatory requirements. |
| Air Shipping Available | Yes |
| Dry Ice Shipping Required | No |

Details

- PAPR includes a blower unit, breathing tube, flow indicator, spark arrestor, belt, filters, filter cover, lithium ion battery, and charger
- Versaflo™ M-Series Helmet has a tough leather shroud to help protect welding arc, sparks and spatter
- Selectable Shades 5, 8-13 and Shade 3 light state
- Wide, transparent faceshield for a clear view
- Hard headcover helps protect against falling objects and flying debris
- Recommended for heavy industrial, metal fabrication, metal production, and fabrication industries
- Applications include arc gouging, plasma cutting, grinding, MIG, TIG, and GMAW welding
- Option to buy protection headgear with or without Speedglas™ Welding ADF

3M™ Adflo™ PAPR and Versaflo™ M-Series Helmet Kit with Speedglas™ Weld Shield includes a hard hat with visor and a flip-up weld shield, which can help protect the face from sparks and spatter, and the eyes from intense light during MIG, TIG and stick welding. The Auto-Darkening Lens is essential PPE for skilled

pros who need precision optics. Side windows in the welding helmet give each welder a wider viewing field to see more of their work area.

Respiratory protection 3M™ Adflo™ Powered Air Purifying Respirator System with a Versaflo™ M-Series Helmet and Speedglas™ Welding Shield Upgrade Kit includes particulate filters, a lithium ion battery, and a spark arrestor. A wide, clear faceshield helps protect the face and eyes against welding arc, sparks and spatter. The hard hat stands up to tough jobs involving flying debris; including grinding, and TIG, MIG/MAG, and stick welding. Auto-Darkening Lens darkens milliseconds after welding begins, ensuring that eyes are protected throughout the operation. Flip-up weld shield The flip-up 9100 welding shield allows for quick transition between welding and non-welding tasks.