



[Americas PDS Database](#) > [CRC Copper Anti-Seize & Lubricating Compound](#)



CRC Copper Anti-Seize & Lubricating Compound

ATTRIBUTES –

Item Number

1004830

Legacy Number

14095

Product Description

Copper Anti-Seize is a general purpose anti-seize lubricant that prevents seizing caused by high temperature, heavy loads, vibrations and corrosion. Conductive.

Applications

Recommended to lubricate fittings, bushings, flanges, headers, nuts, screws, studs, threaded surfaces, pipes, plugs, and manifolds to prevent seizing and galling of surfaces.

Unit Package Description

16 Ounce Aerosol

Brand

CRC

Net Fill

12.5 oz

UPC Code

078254140957

Unit Dimensions

7.5H x 2.63W x 2.63D in

Units Per Case

12

Case Dimensions

8.69H x 8.44W x 11.31D in

Cases per pallet USA

133

Appearance

Copper Liquid

Flash point (F)

-156°F

Flash point (C)

-104.4°C

Flammability Class - CPSC

Extremely Flammable

Spec Gravity Concentrate

1.036

KB Value

Not Determined

Plastic Safe

Not Determined

Film Type

Wet

Timken Ok Load (lbs)

N/A

Propellant

Hydrocarbon

Aerosol Flammability Level

I

DOT Proper Shipping Name

Aerosols, Flammable, LIMITED QUANTITY

4 Ball EP

400 Typical

4 Ball Wear

Not Determined

Drop Point

450°F

pH

N/A

SAE Grade

N/A

Water Washout

N/A

Working Temp (F)

-65 to 1800°F

Working Temp (C)

-53.9 to 982.2°C

VOC % (Consumer Product def)

31.2

VOC g/L (Consumer Product def)

256

VOC lbs/gal (Consumer Prod def)

2.1

VOC Category

Anti-Seize Lubricant - Aerosol

Removal (How To)

Remove with general purpose degreaser.