



# Sta-Lube Copper Anti-Seize & Lubricating Compound

## ATTRIBUTES –

### Item Number

1007938

### Legacy Number

SL35901

### Product Description

Sta-Lube Copper Anti-Seize is a general purpose anti-seize lubricant that prevents seizing caused by high temperature, heavy loads, vibrations and corrosion. This unique formula has been designed with a smooth texture and fine particle sizing. Conductive.

### Applications

Fittings, bushings, flanges, headers, nuts, screws, studs, threaded surfaces, pipes, plugs, and manifolds to prevent seizing and galling of surfaces.

**Brand**

CRC

**Net Fill**

8 Wt Oz

**UPC Code**

072213359015

**Unit Dimensions**

4.25H x 2.5W x 2.5D in

**Units Per Case**

12

**Case Dimensions**

5H x 6.63W x 10.0D in

**Cases per pallet USA**

108

**Appearance**

Copper Semi-Solid Paste

**Flash point (F)**

420°F

**Flash point (C)**

216°C

**Flammability Class - CPSC**

Not a Consumer Product

**Spec Gravity Concentrate**

1.21

**KB Value**

N/A

**Film Type**

Wet

**Evaporation Rate**

<0.01 (Butyl Acetate=1)

**Dielectric Strength**

Not Determined

**Timken Ok Load (lbs)**

N/A

**Propellant**

None

**Military Specification Number**

Mil-PRF-907E

**DOT Proper Shipping Name**

Not Regulated

**4 Ball EP**

Not Determined

**4 Ball Wear**

Not Determined

**Drop Point**

None

**pH**

N/A

**ISO Viscosity Grade**

Not Applicable

**NLGI Grade**

1

**Water Washout**

Not Determined

**Working Temp (F)**

-95 to 2000°F

**Working Temp (C)**

-70.5 to -1093.3° C

**VOC % (Consumer Product def)**

2.9

**VOC g/L (Consumer Product def)**

35.1

**VOC lbs/gal (Consumer Prod def)**

0.29

**VOC Category**

Anti-Seize Lubricant - Non-Aerosol

**Removal (How To)**

Remove with general purpose degreaser.