



Sta-Lube Copper Anti-Seize & Lubricating Compound

ATTRIBUTES –

Item Number

1007940

Legacy Number

SL35903

Product Description

Sta-Lube Copper Anti-Seize is a general purpose anti-seize lubricant that prevents seizing caused by high temperature, heavy loads, vibrations and corrosion. This unique formula has been designed with a smooth texture and fine particle sizing. Conductive.

Applications

Fittings, bushings, flanges, headers, nuts, screws, studs, threaded surfaces, pipes, plugs, and manifolds to prevent seizing and galling of surfaces.

Unit Package Description

16 Ounce Brush-Top Bottle

Brand

CRC

Net Fill

16 Wt Oz

UPC Code

072213359039

Unit Dimensions

5H x 3.13W x 3.13D in

Units Per Case

12

Case Dimensions

6H x 13.25W x 10.0D in

Cases per pallet USA

55

Appearance

Copper Semi-Solid Paste

Flash point (F)

420°F

Flash point (C)

216°C

Flammability Class - CPSC

Not a Consumer Product

Spec Gravity Concentrate

1.21

KB Value

N/A

Plastic Safe

Yes

Film Type

Wet

Evaporation Rate

<0.01 (Butyl Acetate=1)

Dielectric Strength

Not Determined

Timken Ok Load (lbs)

N/A

Propellant

None

Military Specification Number

Mil-PRF-907E

DOT Proper Shipping Name

Not Regulated

4 Ball EP

Not Determined

4 Ball Wear

Not Determined

Drop Point

None

pH

N/A

ISO Viscosity Grade

Not Applicable

NLGI Grade

1

SAE Grade

N/A

Water Washout

Not Determined

Working Temp (F)

-95 to 2000°F

Working Temp (C)

-70.5 to -1093.3° C

VOC % (Consumer Product def)

2.9

VOC g/L (Consumer Product def)

35.1

VOC lbs/gal (Consumer Prod def)

0.29

VOC Category

Anti-Seize Lubricant - Non-Aerosol

Removal (How To)

Remove with general purpose degreaser.