



Sta-Lube Nickel Anti-Seize Lubricating Compound

ATTRIBUTES –

Item Number

1007948

Legacy Number

SL35913

Product Description

Sta-Lube Nickel Anti-Seize is a nickel based formula that is free of copper, lead, sulfides and chlorides. This premium quality lubricant has extremely high temperature and excellent chemical resistance. Conductive.

Applications

Catalyst beds, reaction chambers, special alloy fittings. May be used on fittings, bushings, flanges, headers, nuts, screws, studs, threaded surfaces, pipes, plugs, and manifolds to prevent seizing and galling of surfaces.

Unit Package Description

16 Ounce Brush-Top Bottle

Brand

CRC

Net Fill

16 Wt Oz

UPC Code

072213359138

Unit Dimensions

5H x 3.13W x 3.13D in

Units Per Case

12

Case Dimensions

6H x 13.25W x 10.0D in

Cases per pallet USA

55

Appearance

Silver Paste

Flash point (F)

425°F

Flash point (C)

218°C

Flammability Class - CPSC

Not a Consumer Product

Spec Gravity Concentrate

1.18

KB Value

N/A

Plastic Safe

Yes

Film Type

Wet

Evaporation Rate

Not Applicable

Dielectric Strength

Not Determined

Timken Ok Load (lbs)

N/A

Propellant

None

Military Specification Number

Mil-PRF-907E

DOT Proper Shipping Name

Not Regulated

4 Ball EP

Not Determined

4 Ball Wear

Not Determined

Drop Point

None

pH

Neutral

ISO Viscosity Grade

Not Applicable

NLGI Grade

1

SAE Grade

N/A

Water Washout

Not Determined

Working Temp (F)

-95 to 2600°F

Working Temp (C)

-70.6 to 1427°C

VOC % (Consumer Product def)

1.8

VOC g/L (Consumer Product def)

21.2

VOC lbs/gal (Consumer Prod def)

0.18

VOC Category

Anti-Seize Lubricant - Non-Aerosol

Removal (How To)

Remove with general purpose degreaser.