THE ORIGINAL CRESCENT ADJUSTABLE WRENCH

Off-Corner Loading

Lead-ins and 1-degree slope on lower jaw

allow for fast fitment on fasteners and fittings despite inconsistent flats on fasteners

Prevents rounding of fasteners when applying heavy torque

...But better.

Since its introduction in the early 1900s, the Crescent brand has become synonymous with the adjustable wrench. With market-leading innovation that saves time on the job, the new design features fast-fit jaws, off-corner loading to prevent rounding of fasteners, a larger knurl for easier in-use adjustments and more. We are the original name in adjustable wrenches, now with even more innovation.

MIDE **Extra-Wide, Flared Beam** AC28VS For superior comfort and ability T. CRESCENT to apply more torque Larger Knurl with For easier adjustment and tighter jaw fit; won't bind up. Surround helps prevent accidental back-off **Laser Etched Markings** SAE and Metric, allows easy determination of fastener size Fast Fit Jaw

Slim Head/

Wide Jaw 20% more access

and capacity

ADJUSTABLE WRENCHES

- The original adjustable wrench, made by the world-famous Crescent® brand
- Laser etched scale in both SAE and Metric sizes allows easy fastener size identification
- Larger knurl provides a tighter jaw fit, is easier to adjust and is less likely to bind up
- Hex jaw design reduces slippage by gripping fasteners tightly
- Wider handle improves comfort and reduces fatigue
- Heat-treated forged alloy steel for toughness and durability
- Tension spring stabilizes jaw and allows easy knurl adjustment
- Chrome plated finish wipes clean easily and resists rust and corrosion
- Polished head and satin finished handle





Cat. No.	Overall Length	Capacity Diameter Max	Packaging	Product Weight
AC24VS	4.0 in	0.500 in	Carded	0.16 lb
AC24BK	4.0 in	0.500 in	Bagged	0.13 lb
AC26VS	6.0 in	0.937 in	Carded	0.38 lb
AC26BK	6.0 in	0.937 in	Bagged	0.34 lb
AC28VS	8.0 in	1.125 in	Carded	0.62 lb
AC28BK	8.0 in	1.125 in	Bagged	0.60 lb
AC210VS	10.0 in	1.312 in	Carded	1.06 lb
AC210BK	10.0 in	1.312 in	Boxed	1.20 lb
AC212VS	12.0 in	1.500 in	Carded	1.81 lb
AC212BK	12.0 in	1.500 in	Boxed	1.92 lb

3 PC. ADJUSTABLE WRENCH SET





(T CRESCENT

2 PC. ADJUSTABLE WRENCH SET





TAPERED HANDLE ADJUSTABLE WRENCHES

- The original adjustable wrench, made by the world-famous Crescent® brand
- Laser etched scale in both SAE and Metric sizes allows easy fastener size identification
- Larger knurl provides a tighter jaw fit, is easier to adjust and is less likely to bind up
- Hex jaw design reduces slippage by gripping fasteners tightly
- Heat-treated forged alloy steel for toughness and durability
- Tension spring stabilizes jaw and allows easy knurl adjustment
- Tapered handle for better two-handed grip and less weight
- Chrome plated finish wipes clean easily and resists rust and corrosion
- Polished head and satin finished handle



Cat. No.	Overall Length	Capacity Diameter Max	Packaging	Product Weight
AC215VS	15.0 in	1.687 in	Carded	3.00 lb
AC215BK	15.0 in	1.687 in	Boxed	3.00 lb
AC218VS	18.0 in	2.062 in	Carded	4.92 lb
AC218BK	18.0 in	2.062 in	Boxed	4.92 lb
AC224VS	24.0 in	2.437 in	Carded	8.71 lb
AC224BK	24.0 in	2.437 in	Boxed	8.71 lb

CUSHION GRIP ADJUSTABLE WRENCHES

- Off-corner loading helps prevent rounding of fasteners when applying heavy torque
- Allows you to apply 20% more torque before fastener failure
- A 1-degree slope on the lower jaw allows for fast fitment on fasteners and fittings without having to readjust the jaws every time
- Lower profile wrench head for ease of access
- Extra-wide, flared beam for superior comfort and ability to provide more torque
- Larger knurl with surround for easier adjustment and tighter jaw fit and reduced binding.
 Surround helps prevent accidental back-off
- Laser-etched markings make it easier to adjust to any fastener size SAE or Metric
- 20% greater jaw capacity makes it easier to adjust to any fastener size





Cat. No.	Overall Length	Capacity Diameter Max	Packaging	Product Weight
AC36CVS	6 in	1.800 in	Hang Tab	0.425 lb
AC38CVS	8 in	2.200 in	Hang Tab	0.740 lb
AC310CVS	10 in	2.700 in	Hang Tab	1.250 lb
AC312CVS	12 in	3.200 in	Hang Tab	1.855 lb

2 PC. 6" & 10" CUSHION GRIP ADJUSTABLE WRENCH SET



Cat. No.	Product Weight	
AC3610CVS	1.675 lb	SAE mm
Cat. No.	Description	
AC310CVS	10" Adjustable Wrench with Cushion Grip	
AC36CVS	6" Adjustable Wrench with Cushion Grip	

CUSHION GRIP ADJUSTABLE WRENCHES

- The original adjustable wrench, made by the world-famous Crescent® brand
- Laser etched scale in both SAE and Metric sizes allows easy fastener size identification
- Larger knurl provides a tighter jaw fit, is easier to adjust and is less likely to bind up
- Hex jaw design reduces slippage by gripping fasteners tightly
- Heat-treated forged alloy steel for toughness and durability
- Tension spring stabilizes jaw and allows easy knurl adjustment
- Chrome plated finish wipes clean easily and resists rust and corrosion
- Proportioned dimensions optimize strength and minimize weight
- Cushioned ergonomic handle increases comfort and reduces fatigue





Cat. No.	Overall Length	Capacity Diameter Max	Packaging	Product Weight
AC24CVS	4.0 in	0.500 in	Carded	0.15 lb
AC26CVS	6.0 in	0.937 in	Carded	0.38 lb
AC28CVS	8.0 in	1.125 in	Carded	0.62 lb
AC210CVS	10.0 in	1.312 in	Carded	1.06 lb
AC212CVS	12.0 in	1.500 in	Carded	1.81 lb

3 PC. **CUSHION GRIP ADJUSTABLE WRENCH SET**

Included Storage

Pouch







Cat. No.	Description			
AC26CVS	6" Adjustable Cushion Grip Wrench			
AC28CVS	8" Adjustable Cushion Grip Wrench			
AC210CVS	10" Adjustable Cushion Grip Wrench	h		

Product Weight

2.45 lb

Cat. No.

AC26810CV

2 PC. CUSHION GRIP ADJUSTABLE WRENCH SET




Cat. No.	Product Weight	
AC2610CVS	1.850 lb	SAE mm
Cat. No.	Description	
AC26CVS	6" Adjustable Cushion Grip Wrench	
AC210CVS	10" Adjustable Cushion Grip Wrench	

BLACK OXIDE ADJUSTABLE WRENCHES

- The original adjustable wrench, made by the world-famous Crescent® brand
- Laser etched scale in both SAE and Metric sizes allows easy fastener size identification
- Larger knurl provides a tighter jaw fit, is easier to adjust and is less likely to bind up
- Hex jaw design reduces slippage by gripping fasteners tightly
- Heat-treated forged alloy steel for toughness and durability
- Tension spring stabilizes jaw and allows easy knurl adjustment
- Ergonomic handle increases comfort and reduces fatigue
- Proportioned dimensions for greatest strength and minimum weight
- Black oxide finish resists corrosion





Cat. No.

AT215BK

AT218BK



BLACK OXIDE TAPERED HANDLE ADJUSTABLE WRENCHES

- The original adjustable wrench, made by the world-famous Crescent® brand
- Laser etched scale in both SAE and Metric sizes allows easy fastener size identification
- Larger knurl provides a tighter jaw fit, is easier to adjust and is less likely to bind up
- Hex jaw design reduces slippage by gripping fasteners tightly
- Heat-treated forged alloy steel for toughness and durability
- Tension spring stabilizes jaw and allows easy knurl adjustment
- Tapered handle for better two-handed grip and less weight

Overall Length

15.0 in

18.0 in

- Proportioned dimensions for greatest strength and minimum weight
- Black oxide finish resists corrosion



Packaging

Boxed

Boxed



BLACK	OXIDE	CUSHIO	N GRIP
ADJUS	TABLE	WRENCH	HES

- The original adjustable wrench, made by the world-famous Crescent® brand
- Laser etched scale in both SAE and Metric sizes allows easy fastener size identification
- Larger knurl provides a tighter jaw fit, is easier to adjust and is less likely to bind up
- Hex jaw design reduces slippage by gripping fasteners tightly
- Heat-treated forged alloy steel for toughness and durability
- Tension spring stabilizes jaw and allows easy knurl adjustment
- Black oxide finish resists rust or corrosion and wipes clean easily
- Proportioned dimensions optimize strength and minimize weight
- Cushioned ergonomic handle increases comfort and reduces fatigue





Cat. No.	Overall Length	Capacity Diameter Max	Packaging	Product Weight
AT28CVS	8.0 in	1.125 in	Carded	0.62 lb
AT210CVS	10.0 in	1.312 in	Carded	1.06 lb
AT212CVS	12.0 in	1.500 in	Carded	1.81 lb

Capacity Diameter Max

1.688 in

2.063 in

2 PC. BLACK OXIDE CUSHION GRIP ADJUSTABLE WRENCH SET



Cat. No.	Product Weight	
AT2610CVS	2.00 lb	SAE mm
Cat. No.	Description	
AT26CVS	6" Adjustable Black Oxide Cushion Grip Wrench	
AT210CVS	10" Adjustable Black Oxide Cushion Grip Wrench	

BLACK OXIDE CONSTRUCTION WRENCHES

- The original adjustable wrench, made by the world-famous Crescent® brand
- Laser etched scale in both SAE and Metric sizes allows easy fastener size identification
- Larger knurl provides a tighter jaw fit, is easier to adjust and is less likely to bind up
- Hex jaw design reduces slippage by gripping fasteners tightly
- Heat-treated forged alloy steel for toughness and durability
- Tension spring stabilizes jaw and allows easy knurl adjustment
- Round, tapered tang for easy alignment of bolt holes
- Black oxide finish resists rust or corrosion and wipes clean easily
- Proportioned dimensions optimize strength and minimize weight



Cat. No.	Overall Length	Capacity Diameter Max	Packaging	Product Weight
AT210SPUD	10.0 in	1.125 in	Carded	0.950 lb
AT215SPUD	16.0 in	1.500 in	Carded	2.350 lb

SAE (IIII)

WIDE JAW ADJUSTABLE WRENCHES

- Each wrench meets the ASME performance requirements for the next size up (Example: 6" wrench meets the requirements for an 8" wrench)
- Micro-serrations on the jaws provide a tighter grip on the fastener thus helping to generate 4x more torque than traditional adjustable wrenches
- Laser etched scale in both SAE and Metric sizes allows easy fastener size identification
- Larger knurl provides a tighter jaw fit, is easier to adjust and is less likely to bind up
- Black phosphate and lacquer finish help to resist rust and prevent corrosion for better durability





Cat. No.	Overall Length	Capacity Diameter Max	Packaging	Product Weight
ATWJ26VS	6.0 in	1.125 in	Carded	0.49 lb
ATWJ28VS	8.0 in	1.312 in	Carded	0.79 lb
ATWJ210VS	10.0 in	1.500 in	Carded	1.26 lb
ATWJ212VS	12.0 in	1.750 in	Carded	1.96 lb

2 PC. WIDE JAW ADJUSTABLE WRENCH SET





Cat. No.	Product Weight	
ATWJ2610VS	1.72 lb	SAD ON
Cat. No.	Description	
ATWJ26VS	6" Wide Jaw Adjustable Wrench	
ATWJ210VS	10" Wide Jaw Adjustable Wrench	

LOCKING ADJUSTABLE WRENCHES

- The original adjustable wrench, made by the world-famous Crescent® brand
- Laser etched scale in both SAE and Metric sizes allows easy fastener size identification
- The versatility of an adjustable wrench and the gripping power of a locking plier
- Anti-slip adjustable jaw opens to 1" to fit a wide variety of fasteners
- Delivers twice the gripping power on rounded fasteners
- Locking handle tightly grips fasteners, reduces slippage on rounded fasteners
- Jaw design features gripping teeth and 14 locking positions for enhanced gripping power
- Quick release lever allows for easy disengagement
- Dual material handle for maximum comfort and control
- Chrome plated finish wipes clean easily and resists rust and corrosion





Cat. No.	Overall Length	Capacity Diameter Max	Packaging	Product Weight
ACL10VS	10.0 in	1.312 in	Carded	1.480 lb

RATCHETING ADJUSTABLE FLEX LOCK WRENCHES

- The original adjustable wrench, made by the world-famous Crescent® brand
- Laser etched scale in both SAE and Metric sizes allows easy fastener size identification
- Larger knurl provides a tighter jaw fit, is easier to adjust and is less likely to bind up
- Heat-treated forged alloy steel for toughness and durability
- Large capacity 1-1/8", 29mm hex jaw design reduces slippage
- Ratcheting jaw keeps jaws secured on fasteners, making jobs faster and easier
- Ratcheting on/off selector allows use as a traditional adjustable wrench
- 180° indexing handle locks in 12 different positions
- Chrome plated finish wipes clean easily and resists rust and corrosion
- Polished head and satin finished handle





Cat. No.	Overall Length	Capacity Diameter Max	Product Weight
ACFR8VS	8.0 in	1.187 in	0.830 lb

AUTOMOBILE ADJUSTABLE WRENCHES

- Smooth jaws won't mar easily-damaged fastener surfaces such as chrome or brass
- Wider jaw capacity than traditional pipe wrenches
- Slim profile head design allows better access to tight areas
- Heat-treated forged alloy steel for toughness and durability
- Strong I-beam handle construction
- Chrome plated finish wipes clean easily and resists rust and corrosion



SA	Е	m	m
4	7	•	"

Cat. No.	Overall Length	Capacity Diameter Max	Product Weight
С79Н	9.0 in	2.750 in	1.01 lb
C711H	11.0 in	3.000 in	1.50 lb
C715	15.0 in	3.625 in	3.20 lb
C718	18.0 in	4.375 in	4.60 lb

CHAIN WRENCHES

- Double-action grip force allows use in either direction for tightening or loosening
- Excels in low-access areas where ordinary pipe wrenches will not fit
- Concave-cut teeth grip tightly and can be easily sharpened if needed
- Excellent for pipe fittings
- Strong I-beam handle construction
- Chrome plated finish wipes clean easily and resists rust and corrosion





Cat. No.	Chain Length	Pipe Size Max	Product Weight
CW12H	16.27 in	4 in	1.85 lb
CW15	19.64 in	5 in	2.75 lb
CW24	24.14 in	6 in	3.60 lb

REPLACEMENT CHAIN FOR CHAIN WRENCHES

- Replacement chain
- Excellent for pipe fittings
- Concave-cut teeth grip tightly
- Can be easily resharpened if needed



Cat. No.	Overall Length	Overall Width	Overall Height	Product Weight
CW12C	16.27 in	1.8 in	0.75 in	0.79 lb
CW15C	19.64 in	2.04 in	0.82 in	0.90 lb
CW24C	24.14 in	2.23 in	0.82 in	1.10 lb