

JLP-A SERIES LEVER HOISTS



LIGHT- TO MEDIUM-DUTY SOLUTION

The JLP-A Series of lever hoists exemplifies JET's commitment to delivering the simplest and most cost-effective safety solutions. Designed to create a safer work environment, the JLP-A is the right choice for your lifting or pulling applications.

BRAKE WEAR INDICATOR

CONVENIENT FREE CHAINING

ALL STEEL CONSTRUCTION

IMPROVED GRIP DESIGN



COST-EFFECTIVE AND SAFE

All JET® hoists are engineered to meet strict tolerances and are constructed with quality materials to ensure they last. JET stands behind these products with industry-leading warranties and support.

DUAL PAWL WESTON BRAKE

LOAD CHAIN

CAST-STEEL SAFETY LATCHES

ALLOY STEEL HOOKS



JLP-A SERIES LEVER HOISTS

JLP-A SERIES LEVER HOISTS



SAFETY

- Innovative brake wear indicator provides a visual indication when the friction disks are worn and need replacing
- JET's improved easy free chain design is a no-load, two-step free chaining system that permits quicker hoist positioning and take up of slack chain
- Weston-style Double Pawl System splits the load to opposite sides of the ratchet gear for added safety
- This product complies with ANSI/ASME B30.21 and HST-3 Standards

DURABILITY

- Cast-steel safety latches provide added durability over stamped steel latches and will not bend out of compliance
- Needle bearings support the load sheave increasing efficiency by reducing rolling resistance under load, promoting smooth operation
- Grade 80 load chain is black oxide coated for corrosion resistance
- Impact resistant all steel construction for added durability and protection

VERSATILITY

- Ergonomic grip is secured to the lever arm providing greater operator control and increased comfort
- Handle design rotates 360° allowing for versatile rigging applications in confined environments
- Alloy steel hooks rotate 360° for easy rigging applications, and slowly stretch to indicate an overload situation
- Load tested to 125% of capacity with certificate

STOCK NUMBER	MODEL NUMBER	CAPACITY (T)	CAPACITY (lbs.)	STANDARD LIFT (ft.)	HEADROOM (in.)	LOAD CHAIN (dia/mm) X NO. OF FALLS	LEVER LENGTH (in.)	LBS. OF PULL TO LIFT CAPACITY	WEIGHT (lbs.)
JLP-A SERIES LEVER HOISTS - 3/4 TON									
287300	JLP-075A-5	3/4	1650	5	12-4/5	6 x 1	11-13/16	31	14
287301	JLP-075A-10	3/4	1650	10	12-4/5	6 x 1	11-13/16	31	17
287302	JLP-075A-15	3/4	1650	15	12-4/5	6 x 1	11-13/16	31	19
287303	JLP-075A-20	3/4	1650	20	12-4/5	6 x 1	11-13/16	31	22
JLP-A SERIES LEVER HOISTS - 1-1/2 TON									
287400	JLP-150A-5	1-1/2	3300	5	15	8 x 1	16-1/8	49	25
287401	JLP-150A-10	1-1/2	3300	10	15	8 x 1	16-1/8	49	30
287402	JLP-150A-15	1-1/2	3300	15	15	8 x 1	16-1/8	49	34
287403	JLP-150A-20	1-1/2	3300	20	15	8 x 1	16-1/8	49	39
JLP-A SERIES LEVER HOISTS - 3 TON									
287500	JLP-300A-5	3	6600	5	18-8/9	10 x 1	16-1/8	71	43
287501	JLP-300A-10	3	6600	10	18-8/9	10 x 1	16-1/8	71	50
287502	JLP-300A-15	3	6600	15	18-8/9	10 x 1	16-1/8	71	57
287503	JLP-300A-20	3	6600	20	18-8/9	10 x 1	16-1/8	71	65
JLP-A SERIES LEVER HOISTS - 6 TON									
287600	JLP-600A-5	6	13200	5	24-2/5	10 x 2	16-1/8	77	69
287601	JLP-600A-10	6	13200	10	24-2/5	10 x 2	16-1/8	77	84
287602	JLP-600A-15	6	13200	15	24-2/5	10 x 2	16-1/8	77	98
287603	JLP-600A-20	6	13200	20	24-2/5	10 x 2	16-1/8	77	112
JLP-A SERIES LEVER HOISTS WITH SHIP YARD HOOKS- 1-1/2 TON									
287700	JLP-150A-5SH	1-1/2	3300	5	15	8 x 1	16-1/8	49	20
287701	JLP-150A-10SH	1-1/2	3300	10	15	8 x 1	16-1/8	49	27
287702	JLP-150A-15SH	1-1/2	3300	15	15	8 x 1	16-1/8	49	31
287703	JLP-150A-20SH	1-1/2	3300	20	15	8 x 1	16-1/8	49	39
JLP-A SERIES LEVER HOISTS WITH SHIP YARD HOOKS- 3 TON									
287800	JLP-300A-5SH	3	6600	5	18-8/9	10 x 1	16-1/8	71	43
287801	JLP-300A-10SH	3	6600	10	18-8/9	10 x 1	16-1/8	71	50
287802	JLP-300A-15SH	3	6600	15	18-8/9	10 x 1	16-1/8	71	57
287803	JLP-300A-20SH	3	6600	20	18-8/9	10 x 1	16-1/8	71	63

*CUSTOM LIFTS AVAILABLE IN ALL CAPACITIES IN 10 FT INCREMENTS

JLP-A SERIES HOIST DIMENSIONS (IN.)

CAPACITY	A	B	C	D	E	F	G	H	L
3/4 TON	5-15/16	5-5/16	2	1-3/16	1-1/8	1-3/8	1-7/16	12-13/16	11-13/16
1-1/2 TON	7	6-3/8	2-1/2	1-5/16	1-5/16	1-5/8	1-14/16	14-15/16	16-2/16
3 TON	7-11/16	8-3/16	2-11/16	1-1/2	1-11/16	2-1/16	2-7/16	18-7/8	16-1/8
6 TON	7-11/16	10-1/16	4-15/16	2-13/16	2	2-3/8	3-1/16	24-7/16	16-1/8

